

Jaw Crusher

-Hydraulic Series



MSH3624

MSH4230

MSH5434

Minyu Machinery Corp., Ltd.

Feature







Machine:

- Crusher built with high strength steel plates and recessed welding structure, which greatly increases structural strength.
- Due to CO2 gas welding and annealing treatment of main frame, the crusher is able to withstand strong impact during operation.
- Pitman arm locked via hydraulic cylinder and nitrogen accumulator, providing stable crushing force and quick adjustment.



Controller:

- Full hydraulic discharge gap adjustment via control panel, no need for manual adjustment on the crusher.
- 2. LED shows related gap adjustment data.
- 3. Gap adjustment completely without down time and in-feed stop.
- The controller can automatically lock the crushing chamber, for gap adjustment anytime according to feed and discharge requirements.



Crushing Process











General Dimension





Model No.	Dimensions [mm]												
	Α	В	С	D	E	F	G	Н	1	J	K	L	M
MSH3624	910	609	2318	1144	805	335	2066	1830	1080	1330	671	756	989
MSH4230	1066	762	2760	1219	895	225	2486	2140	1250	1480	711	1020	1127
MSH5434	1300	850	3137	1412	925	625	2755	2380	1534	1970	686	937	1081

All parameters are for reference only and subject to change without notice.

General Specifications

Model No.		RPM	Motor [kW]	Crushing Capacity*, Tons/Hr. Closed Side Discharge Opening [mm]							Weight [KG]
	Feed Opening [mm]										
				80	100	125	150	200	225	250	[KG]
MSH3624	900 × 600	250	60 - 75	116	143	176	200				12840
MSH4230	1050 × 650	230	90 - 115		198	231	261	323			19860
MSH5434	1300 × 850	200	135 - 150		280	340	390	470	500	550	27500

Capacity/ throughput based on continuous regulated feed of clean, dry limestone of normal hardness with a bulk density of 1.6 ton / m3. Capacity may vary+/- 25% with the size and nature of the rock and the working conditions of the plant.


Crushing Process







Profile Construction








General Gradation Curves

GRADE DISTRIBUTION CURVES OF CRUSHED STONES




EXAMPLE OF USING THE DISTRIBUTION CURVES

GIVEN:Jaw Crusher for primary crushing of riverstone with 70mm discharge setting. FIND:The grade distribution in

not-screened situation.
GET:From the table below and
the chart on the left, we
know the percentage of
under setting size is 70%
and the grade distribution

of the crushed stones are 44% under 40mm 33% under 30mm 24% under 20mm

with max. product size 130mm



% Under size percentage





Туре	Kind of Feed	Lime Stone	River Stone	Quarry	
MSH	Screened	80-85%	65-70%	80-85%	
	Not Screened	85-90%	70-75%	85-90%	



Minyu Machinery Corp.,Ltd.

Telephone: +886-2-8751-2022 Fax: +886-2-8751-2051

E-Mail: office@minyu.com

Address: 4F., No.431, Ruiguang Rd., Neihu Dist., Taipei City 11492, Taiwan.